## F. RELATIONSHIPS BETWEEN HABITAT MANAGEMENT STRATEGIES AND CONSERVATION HYPOTHESES

		UPPER (	GREEN RIVER SU	UBWATERSHED	- Habitat Condition	on and/or Process A	Addressed in Habit	tat Management S	trategies	
Conservation Hypothesis	Channel geomorphology (pools, LWD, riffles)	Sediment recruitment	Off-channel habitats	Refugia	Riparian areas	Access to Upper Watershed	Tributary habitats	Water Quality	Water quantity and timing of runoff	Reservoir
<b>, r</b>	(All Segments and Tributaries)	(All Segments and Tributaries)	(All Segments and Tributaries)	(Segments 9,11 and 12 and Tributaries)	(All Segments and Tributaries)	(All Segments)	(All Segments)	(All Segments and Tributaries)	(All Segments)	(Segment 8)
<b>Up-1</b> (adult and juvenile fish passage around HHD)						✓				✓
Up-2 (refuge habitat and habitat complexity)	✓		✓	✓	✓		✓	✓	✓	
Up-3 (establish bull trout population above HHD)						✓				
Up-4 (sediment processes)		✓					✓			
All-1 (water quality)		✓		✓	✓			✓		
All-2 (riparian zone)	✓		✓	✓	✓			✓		
All-3 (tributary access)							✓			
All-4 (natural flows [high and low])	✓		✓	✓	✓					
All-5 (Low Impact Development etc)										
All-6 (no armoring, fill, etc)	✓	✓	✓							
	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES
	Protect areas where the river is exhibiting natural rates of channel migration and contains habitat complexity  Restore lateral channel migration; restore riparian conditions by allowing natural cycle of succession  Restore hydrologic processes to create habitat complexity  Substitute habitat features (e.g. LWD) to create pools and collect sediment	Protect areas where sediment recruitment and transport processes are currently functioning  Restore hillslope hydrology and stability; restore riparian conditions  Substitute gravel recruitment through LWD supplementation.	Protect areas that have functioning off-channel habitat and exhibit natural riverine processes to maintain habitat.  Restore areas that have some functioning off-channel habitat; restore lateral channel migration to create new off-channel habitat.  Substitute hydrologic processes by creating off-channel habitat	Protect functioning mainstem and off-channel environments.  Restore ecological processes to create and maintain functioning spawning and rearing habitat; restore riparian conditions by allowing natural cycle of succession  Substitute ecological and hydrological processes by	riparian timber stands  Restore riparian conditions by allowing natural cycle of succession  Rehabilitate areas of early and midseral riparian timber stands	Substitute upstream and downstream passage (e.g., trap and haul)	Protect areas that provide currently functioning spawning and rearing habitat  Restore fish passage to tributaries (e.g. culvert replacement or replacement with bridge); restore stream channels where degradation has occurred from concentration of streamflow; restore riparian conditions by allowing natural cycle of succession	Protect areas with functioning riparian conditions  Restore riparian vegetation and forest roads  Rehabilitate forest logging roads	Protect cool clean water  Restore riparian and upland forests  Restore hillslope processes by removing failing/high risk logging roads  Rehabilitate forest logging roads	Rehabilitate fringe habitat of the seasonally inundated area surrounding Howard Hanson reservoir; rehabilitate reservoir flow conditions to better support rearing  Substitute habitat features to create refuge from predators

			N RIVER SUBWATERSHI	ED - Habitat Condition	and/or Process Addres	sed in Habitat Managen	nent Strategies	
Conservation	Natural channel geomorphology (pools, LWD, riffles)	Sediment recruitment and transport (spawning substrate, shallow channel edge habitat)	Off-channel Habitat (side channels, secondary channels)	Tributaries habitats and inaccessible mainstem habitats	Refugia	Riparian Areas	Water Quality	Water Quantity (e.g. channel scour, low summer flows)
Hypothesis	(Segments 4, 6, 7)	(All Segments)	(Segments 4 and 6)	(Segment 7, Soos Creek, Newaukum Creek, as well as smaller tributaries such as Burns Ck, Crisp Ck)	(Segment 4)	(Segments 4, 6, 7)	(All Segments)	(All Segments)
Mid 1 (refuge habitat and habitat complexity)	✓		✓	✓	✓	✓		✓
Mid-2 (Low Impact Development etc)				✓			✓	✓
Mid-3 (sediment recruitment)	✓	✓			✓			
Mid-4 (Newaukum & Soos Creek habitat)				✓				
Mid-5 (groundwater recharge and base flows)						✓	✓	✓
Mid-6 (fish access between TDD and HHD)				✓				
All-1 (water quality)				✓	✓		✓	
All-2 (riparian zone)	✓			✓	✓	✓	✓	
All-3 (tributary access)				✓				
All-4 (natural flows [high and low])	✓	✓	✓	✓	✓	✓	✓	✓
<b>All-5</b> (Low Impact Development etc)				✓			✓	✓
All-6 (no armoring, fill, etc)	✓	✓	✓		✓	✓		✓
	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES
	Protect areas with functioning mainstem, tributary, and off-channel habitats for spawning and rearing; protect areas where the river is exhibiting natural rates of channel migration and contains habitat complexity  Restore lateral channel migration to create habitat complexity  Rehabilitate hydrologic processes to create habitat complexity  Substitute habitat features (e.g. LWD) to create pools and habitat complexity	Protect areas where sediment recruitment processes are currently functioning  Restore lateral channel migration to recruit sediments  Rehabilitate hydrologic processes to recruit sediment  Substitute sediment recruitment through gravel and LWD supplementation.	Protect areas with functioning off-channel habitat and natural riverine processes are functioning to maintain habitat  Restore areas with some functioning off-channel habitat; restore lateral channel migration to create off-channel habitat  Rehabilitate hydrologic processes to create off-channel habitat and maintain hydrologic connection to mainstem channel  Substitute hydrologic processes by creating off-channel habitat	Protect areas with functioning spawning and rearing habitat  Restore stream processes to create functioning spawning and rearing habitat; restore natural cycle of succession and plant diversity of riparian areas  Rehabilitate downstream juvenile passage; rehabilitate riparian conditions  Substitute upstream adult passage at the Tacoma Diversion Dam and Soos Creek Hatchery (e.g. trap and haul)	Protect areas with functioning mainstem and off-channel habitat and exhibit natural riverine processes to maintain habitat  Restore riverine processes to create and maintain functioning mainstem and off-channel habitat  Rehabilitate hydrological processes to support functioning habitat  Substitute ecological and hydrological processes by creating key habitats and habitat features	Protect functioning riparian areas and plant diversity  Restore natural cycle of succession and plant diversity of riparian areas  Rehabilitate hydrologic processes to create areas for plant colonization; rehabilitate riparian conditions where riverine processes can not maintain natural cycle of succession (e.g. revegetation)  Substitute ecological processes with habitat features (e.g. LWD).	Protect water quality from further modification where State standards are being met or exceeded; protect cool clean water from surface and groundwater sources  Restore degraded water quality conditions to meet or exceed State standards	Protect cool clean water from surface and groundwater sources  Restore instream flows of tributaries to support spawning and rearing habitat  Rehabilitate instream flows of mainstem to support spawning and rearing habitat

	LOWER GREEN RIVER SUBWATERSHED - Habitat Condition and/or Process Addressed in Habitat Management Strategies									
Conservation Hypothesis	Channel Geomorphology (pools, riffles, channel edge habitat, LWD jams, channel migration, shallow water, low velocity)	Sediment Transport and Recruitment (spawning substrate, shallow channel edge habitat)	Riparian Areas	Wetlands	Tributary Habitat and Access	Water Quality and Quantity				
Low-1 (refuge habitat and habitat complexity)	✓	✓		✓	✓					
Low-2 (sediment processes)	✓	✓			✓					
Low-3 (groundwater inflow)				✓	✓	✓				
Low-4 (Black River pump station)					✓					
All-1 (water quality)			✓	✓	✓	✓				
All-2 (riparian zone)	✓		✓		✓	✓				
All-3 (tributary access)		✓			✓					
All-4 (natural flows [high and low])	✓	✓	✓		✓	✓				
All-5 (Low Impact Development etc)				✓		✓				
All-6 (no armoring, fill, etc)	✓	✓	✓		✓	✓				
	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES				
	Protect areas that provide low velocity and/or shallow water habitat during juvenile migration; protect functioning off-channel habitat.  Rehabilitate existing banklines to create low velocity and/or shallow water habitat during juvenile migration; rehabilitate spawning habitat; rehabilitate off-channel habitat  Substitute loss of slow water areas by creating new off-channel habitats and/or placement of LWD along banklines.	Protect areas with no levees/revetments where some sediment recruitment is occurring.  Rehabilitate sediment recruitment processes.  Substitute sediment recruitment through gravel and LWD supplementation.	Protect functioning riparian areas and plant diversity  Rehabilitate riparian areas by establishing suitable native vegetation along banks of mainstem and tributaries.  Substitute ecological processes with habitat features (e.g. LWD).	Protect functioning wetlands that provide habitat, hydrologic, and water quality functions  Rehabilitate remaining wetlands adjacent to mainstem channel and lower Mill Creek to support juvenile rearing  Substitute by creating new wetlands	Restore tributary access by removing fish passage barriers and modifying tributary mouth configuration  Rehabilitate hydrologic processes to maintain adequate instream flow to provide access to tributaries; rehabilitate sediment recruitment to reduce channel downcutting  Substitute sediment recruitment by gravel supplementation	Protect cool clean water sources that can provide refuge (e.g., White River hyporheic flow)  Restore degraded water quality conditions  Rehabilitate riparian conditions to provide buffers; rehabilitate instream flow in tributaries and mainstem; rehabilitate water quality by augmenting with cool clean water				

	DUWAMISH E	STUARY SUBWATE	RSHED - Habitat Cond	lition and/or Process Ad	dressed in Habitat Manage	ment Strategies	
Conservation Hypothesis	Shallow Water Habitats	Sediment Recruitment	Sediment Quality	Riparian Areas	Off-channel Habitats (Palustrine, estuarine, riverine-tidal wetlands, sloughs, blind channels)	Migrational Passage	Water Quality
<b>Duw-1</b> (shallow subtidal and intertidal habitat)	✓	✓			✓	✓	
<b>Duw-2</b> (sediment quality)			✓				
<b>Duw-3</b> (estuarine transition zone)	✓				✓		
<b>Duw-4</b> (refuge habitat in freshwater intertidal area)	✓			✓	✓		
<b>Duw-5</b> (sediment processes)	✓	✓					
<b>Duw-6</b> (water quality)				✓			✓
All-1 (water quality)				✓			✓
All-2 (riparian zone)	✓			✓	✓		✓
All-3 (tributary access)					✓		
All-4 (natural flows [high and low])		✓					✓
All-5 (Low Impact Development etc)							✓
All-6 (no armoring, fill, etc)	✓	✓		✓		✓	
	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES
	Protect existing shallow channel habitat, particularly in the existing shallow water areas at the Turning Basin and Kellogg Island, and those that exist in isolated patches. Maintain existing sinuosity upstream of RM 7.  Protect sediment and riparian processes/ conditions that influence shallow water habitat quality  Restore intertidal mudflats (below RM 7), channel edge habitats (upstream of RM 7), and marshes (estuarine and freshwater) to create low velocity and/or shallow water habitat at expected flow levels during juvenile migration.  Restore sediment and riparian processes/ conditions that influence shallow water habitat quality  Rehabilitate shorelines to provide shallow water along the banks of the Duwamish River, particularly in the industrial/commercial areas between RM 1.5-5 and upstream of North Winds Weir.	Protect existing shallow water habitats.  Rehabilitate sediment recruitment from both tidal and riverine processes.  Substitute loss of natural sediment recruitment processes.	Protect "clean" sediment areas from contamination.  Rehabilitate contaminated sediments.	Protect existing quality riparian zones.  Protect connections between riparian and aquatic areas (e.g., no armoring)  Restore native riparian communities  Restore riparian-aquatic connections  Rehabilitate riparian areas and functions in the entire subwatershed.  Substitute habitat features (e.g. LWD) to stabilize banks, create slow water	Protect off-channel wetlands and sloughs. These habitats have largely been created and include Cecil B. Moses Park, Herrings House Park, T-105, Highway 509 wetlands, Hamm Creek, and Puget Creek wetlands.  Protect upland and riparian processes/conditions that influence off-channel habitats  Rehabilitate wetlands and sloughs where they currently exist, including re-connecting those isolated from the river channel or re-establishing wetlands/sloughs lost during development.	Protect existing shorelines without overwater structures and minimize the occurrence of overwater structures.  Restore shoreline areas where pilings and overwater structures can be removed.  Rehabilitate overwater structures to reduce impacts on fish migration/behavior.  Substitute loss of non- shaded, shallow water migration corridors and rearing areas.	Protect water temperatures to ensure safe salmon migration, particularly for adults.  Protect existing water quality from pollutants/contaminants.  Restore processes to detain and filer stormwater runoff (e.g., riparian and marsh habitats)  Rehabilitate water quality through controlling contaminant introduction.  Substitute for natural water treatment, particularly for commercial/industrial
	<b>Substitute</b> lost slow water/shallow areas, focusing actions at the mouth of the Duwamish to RM 1, between RMs 1.5-4, and upstream of RM 7.			areas (e.g., pools upstream of RM 7) and habitat complexity.	<b>Substitute</b> off-channel habitats through creation of wetlands and sloughs.		activities, as well as transportation corridors.

		MARINE NEAL	RSHORE SUBWATERSHE	D - Habitat Condition a	and/or Process Address	ed in Habitat Managem	ent Strategies	
Conservation Hypothesis	Sediment Recruitment and Transport ( habitat formation and maintenance)	Shallow Water Habitats (natural depth/elevation contours of beaches and flats)	Riparian Areas (including LWD)	Tributary Streams and Pocket Estuaries	Water Quality and Quantity; freshwater inputs including springs, seeps, small streams	Submerged Aquatic Vegetation (SAV)	Beaches and Backshore (natural beach and backshore form; accumulation of organic debris and large wood; establishment of natural vegetation)	Salt Marshes
Near-1 (sediment quality)								
Near-2 (vegetated shallows and marshes)		✓		✓		✓	✓	✓
Near-3 (sediment processes)	✓	✓		✓		✓	✓	✓
Near-4 (forage fish habitat)	✓	✓				✓	✓	
Near-5 (pocket estuaries)		✓	✓	✓	✓	✓	✓	✓
All-1 (water quality)			✓	✓	✓			
All-2 (riparian zone)		✓		✓	✓	✓	✓	✓
All-3 (tributary access)				✓				
All-4 (natural flows [high and low])	✓	✓	✓	✓	✓	✓	✓	✓
All-5 (Low Impact Development etc)				✓	✓			
All-6 (no armoring, fill, etc)	✓	✓	✓		✓	✓	✓	✓
	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES	STRATEGIES
	Protect sediment	<b>Protect</b> remaining shallow	Protect intact riparian areas and	Protect tributary stream	Protect water quality	<b>Protect</b> existing eelgrass,	Protect beaches and	Protect remaining salt
	recruitment and transport	water habitat	associated functions	mouths and the	where State standards are	kelp, and other macroalgae	backshore areas and	marshes
	processes through protection			hydrologic and sediment	being meet or exceeded;		associated plant	
	of existing bluffs and	Restore shallow water	<b>Restore</b> riparian vegetation and	processes responsible for	protect cool, clean	Restore eelgrass and kelp	communities (e.g.,	<b>Restore</b> salt marshes
	sediment drift cells to create	habitats (e.g., remove	buffers to achieve a suite of	formation and	surface and ground water;	beds by allowing natural	halophytes)	
	shallow water habitat (e.g.	structures; remove fill, or	functions	maintenance of small	protect current water	processes to occur		Rehabilitate/Substitute
	beach feeding bluffs)	fill in dredged areas)		stream mouths, estuaries,	quantity from further		Restore beaches,	salt marshes, vegetation,
			Rehabilitate/Substitute riparian	and deltas	modification	Rehabilitate/Substitute	backshore and associated	hydrology, and sediments
	Restore sediment	Rehabilitate/Substitute	ecosystem processes and			SAV by transplanting	plant communities; riparian	
	recruitment and transport	shallow water habitats (e.g.,	functions	Restore hydrologic and	<b>Restore</b> water quality to	eelgrass	and sediment processes	
	processes through re-	beach nourishment)		sediment process; <b>restore</b>	meet or exceed State			
	connecting feeder bluffs in			tributaries (e.g., reduce	standards; <b>restore</b> water		Rehabilitate/Substitute	
	armored areas and restoring			confinement/remove	quantity		beaches, backshore, and	
	sediment drift			constraints).			associated plant	
					Rehabilitate shoreline		communities	
			İ	<b>Rehabilitate</b> hydrologic	areas to reduce water			
	Rehabilitate/Substitute			2				
	sediment recruitment and			process of tributaries to	quality impacts (e.g.,			
	sediment recruitment and transport processes (e.g.,			process of tributaries to mimic natural conditions	reduce impervious area,			
	sediment recruitment and				reduce impervious area, contaminant runoff) and			
	sediment recruitment and transport processes (e.g.,				reduce impervious area, contaminant runoff) and improve pollution			
	sediment recruitment and transport processes (e.g.,				reduce impervious area, contaminant runoff) and improve pollution abatement functions (e.g.,			
	sediment recruitment and transport processes (e.g.,				reduce impervious area, contaminant runoff) and improve pollution abatement functions (e.g., riparian vegetation,			
	sediment recruitment and transport processes (e.g.,				reduce impervious area, contaminant runoff) and improve pollution abatement functions (e.g.,			
	sediment recruitment and transport processes (e.g.,				reduce impervious area, contaminant runoff) and improve pollution abatement functions (e.g., riparian vegetation,			